



# MAASAI MARA UNIVERSITY

MAIN EXAMINATION 2018/2019 ACADEMIC YEAR  
FOURTH YEAR SECOND SEMESTER EXAMINATIONS

**FOR**

**THE DEGREE OF BACHELOR OF SCIENCE**

**MAT 426: METHODS II**

DATE:  
DURATION: 2hrs

TIME:

## INSTRUCTIONS TO CANDIDATES

1. This paper contains **FOUR** (4) questions
2. Answer question **ONE** (1) and any other **TWO** (2) questions
3. Do not forget to write your Registration Number.

## QUESTION ONE (30 MARKS)

- a) Solve the following differential equation in terms of the Bessel's function  
 $xy'' - 3y' + xy = 0$  (5mks)
- b) Let  $\bar{A}^p = \frac{\partial \bar{x}^p}{\partial x^q} A^q$ . Prove that  $A^q = \frac{\partial x^q}{\partial \bar{x}^p} \bar{A}^p$  (3mks)
- c) Show that the contraction of the outer product of the tensors  $A^p$  and  $B_q$  is an invariant. (5mks)
- d) Use Neumann series method to solve the integral equation  
 $y(x) = 1 + \lambda \int_0^1 xzy(z)dz$  (6mks)
- e) Prove the Rodrigues' Formula  $P_l(x) = \frac{1}{2^l l!} \frac{d^l}{dx^l} (x^2 - 1)^l$  (6mks)
- f) Show that  $L_n(x) = \frac{e^x}{n!} \frac{d^n}{dx^n} (x^n e^{-x})$  (5mks)

## QUESTION TWO (20 MARKS)

- a) Prove that the two independent solutions of Bessel's equation may be taken to be  
 $J_n(x)$  and  $y_n(x) = \frac{\cos n\pi J_n(x) - J_{-n}(x)}{\sin n\pi}$  for all values of  $n$ , (15mks)

b) Prove that

$$\frac{\exp\{-xt/(1-t)\}}{(1-t)} = \sum_{n=0}^{\infty} L_n(x)t^n \quad (5\text{mks})$$

### QUESTION THREE (20 MARKS)

a) Given the generating function

$$(1 - 2xt + t^2)^{-\frac{1}{2}} = \sum_{l=0}^{\infty} t^l P_l(x)$$

Prove the recurrence relations

i.  $lP_l(x) = (2l-1)xP_l(x) - (l-1)P_{l-1}(x) \quad l \geq 2 \quad (6\text{mks})$

ii.  $lP_l(x) = xP_l'(x) - P_{l-1}'(x) \quad (6\text{mks})$

b) Find the eigen values and corresponding eigen functions of the following Fredholm equation

$$y(x) = \lambda \int_0^{\pi} \sin(x+z)y(z) dz \quad (8\text{mks})$$

### QUESTION FOUR (20 MARKS)

a) Use the Fredholm theory to show that the resolvent kernel to the integral equation

$$y(x) = x^{-3} + \lambda \int_a^b x^2 z^2 y(z) dz \text{ is } \frac{5x^2 z^2}{5 - \lambda(b^5 - a^5)} \text{ and hence solve the equation. (8mks)}$$

b) Show that the orthogonality properties of Laguerre polynomial is given by

$$\int_0^{\infty} e^{-x} L_n(x) L_m(x) dx = \delta_{n,m}. \quad (8\text{mks})$$

c) Suppose  $A_r^{pq}$  and  $B_t^s$  are tensors. Prove that  $C_{rt}^{pqs} = A_r^{pq} B_t^s$  is also a tensor.

(4mks)